

Exercises to the lecture
Complexity Theory
Sheet 3

Prof. Dr. Roland Meyer
Sören van der Wall

Delivery until 10.12.2021 at 23:59

Exercise 3.1 (Intersection Non-Emptiness of Regular Languages)

Consider the following problem.

Intersection Non-Emptiness of Regular Languages (INE)

Input: Non-deterministic finite automata A_1, \dots, A_k for a $k \in \mathbb{N}$.

Question: $\bigcap_{i=1}^k L(A_i) \neq \emptyset?$

Show that INE is PSPACE-complete.

Hint: For the hardness, reduce from the reachability problem for safe Petri Nets. Note that an execution of a Petri Net is a sequence of firings. Firing a transition just amounts to putting and consuming tokens. Construct automata over the alphabet $\{put_p, consume_p \mid p \text{ a place}\}$ that simulate each place and the transitions of a net.

Exercise 3.2 (Alternation Bounded QBF)

We define the following *alternation bounded* variants of QBF.

- $\Sigma_i\text{QBF} = \{\psi \mid \psi = \exists \bar{x}_1 \forall \bar{x}_2 \dots Q_i \bar{x}_i \varphi(\bar{x}_1, \dots, \bar{x}_i) \text{ is true}\},$
- $\Pi_i\text{QBF} = \{\psi \mid \psi = \forall \bar{x}_1 \exists \bar{x}_2 \dots Q_i \bar{x}_i \varphi(\bar{x}_1, \dots, \bar{x}_i) \text{ is true}\},$

where \bar{x}_j denotes a finite sequence of variables and Q_i is a quantor. Note that there are at most $i - 1$ alternations of quantors.

Prove by induction that $\Sigma_i\text{QBF}$ ($\Pi_i\text{QBF}$) can be decided by an alternating Turing Machine that runs in polynomial time, uses at most $i - 1$ alternations between existential and universal states and branches first in an existential (universal) state.

Exercise 3.3 (Shortest Path)

Show that the following problem is in NL.

Shortest Path (SP)

Input: A directed graph $G = (V, E)$ and a $k \in \mathbb{N}$.

Question: Does a shortest path from s to t have length exactly k ?

Delivery until 10.12.2021 at 23:59 to <https://cloudstorage.tu-braunschweig.de/preparefilelink?folderID=2JiiamTFZRiZpt2J4sJAC>.